

ENGINE	512000	512000	ENGINE OIL FILLER TUBE & DIPSTICK; Extended Type
REAR AXLES, SUSPENSIONS	514005	514005	TORQUE ROD FORWARD REAR
REAR AXLES, SUSPENSIONS	514006	514006	TORQUE ROD REAR REAR
REAR AXLES, SUSPENSIONS	514009	514009	AXLE STOPS, FORWARD REAR
REAR AXLES, SUSPENSIONS	514010	514010	AXLE STOPS, REAR REAR
REAR AXLES, SUSPENSIONS	514012	514012	AXLE, LIFT, CONTROLS Cab Effects; When Controls Are Not Provided
CABS, COWLS, BODIES	516003	516003	ACCESS, CAB Driver & Passenger Sides, Two Steps Per Door, for use with Day Cab or Extended Cab, Not with 13" Deep Fuel Tanks
CABS, COWLS, BODIES	516091	516091	CAB, DRILLING for Roof Hole for Gunner Hatch
CABS, COWLS, BODIES	516100	516100	MIRROR, CONVEX Left Side Only, 7 3/4", In Addition to Standard Right Side Convex Mirror
CABS, COWLS, BODIES	516104	516104	MIRROR, STYLE Rectangular, Non-Aerodynamic
WHEELS MISC OPTIONS	529001	529001	WHEEL BEARING, FRONT, LUBE
WHEELS MISC OPTIONS	529002	529002	WHEEL BEARING, REAR, LUBE
MISC	530100	530100	TIRES
BODY & CHASSIS PAINT	535007	535007	PAINT CHASSIS COLOR GROUP No. 07
BODY & CHASSIS PAINT	535011	535011	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
BODY & CHASSIS PAINT	535914	535914	PAINT COLOR GROUP PT-11 No. 4; Identifies Material and Labor Cost for the 1st Paint Color of a 1-Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design
MISC	595008	595008	ESC PROG, AIR PRESSURE GAUGE Primary & Secondary, for Air Brake Chassis
MISC	595009	595009	ESC PROG, ABS BRAKES with ABS Warning Light, with Full Power Hydraulic and Air Brake Systems, Not Including Trailer
MISC	595012	595012	ESC PROG, TRAILER ABS WRN/LTG
MISC	595014	595014	ESC PROG, PARK BRAKE W/IND LT with Air and Hydraulic Brakes
MISC	595015	595015	ESC PROG, BRAKE SWITCH Preprocessing
MISC	595016	595016	ESC PROG, ENGINE EXHAUST BRAKE
MISC	595018	595018	ESC PROG, HEADLIGHT Includes Daytime Running Lights, Lights on with Wipers and Flash to Pass
MISC	595021	595021	ESC PROG, TURN SIGNAL/BRAKE Hazard Lights with Stop Overriding Hazard or Hazard Overriding Stop
MISC	595022	595022	ESC PROG, AIR HORN with or without Auxiliary Air horn Switch
MISC	595023	595023	ESC PROG, ELECTRIC HORN-CITY with and without Keyless Entry Effects
MISC	595024	595024	ESC PROG, DOME LIGHT Includes Theater Style Dimming and Keyless Entry Effects
MISC	595027	595027	ESC PROG, DIAGNOSTICS
MISC	595030	595030	ESC PROG, TRAILER MARKER LIGHT Operates Trailer Marker Lights on with Tractor Parking Lights
MISC	595031	595031	ESC PROG, IGNITION KEY STATE Keyed or Keyless Ignition
MISC	595037	595037	ESC PROG, CLUTCH SWITCH Preprocessing
MISC	595040	595040	ESC PROG, DIFFERENTIAL LOCK Driver Controlled
MISC	595041	595041	ESC PROG, POWER DIVIDER LOCK
MISC	595048	595048	ESC PROG, LOW WASHER FLUID with Indicator Light
MISC	595049	595049	ESC PROG, ELTRN PARM DFLT/SET Required By All Units
MISC	595052	595052	ESC PROG, FUEL GAUGE/SENSOR Single Fuel Tank or Dual Fuel Tanks with One Fuel Level Sensor

WHEELS MISC OPTIONS	0029PBA	0029PBA	PAINT IDENTITY, FRONT WHEELS Disc Wheels; with Vendor Applied Black Powder Coat Paint
WHEELS MISC OPTIONS	0029PBB	0029PBB	PAINT IDENTITY, REAR WHEELS Disc Wheels; with Vendor Applied Black Powder Coat Paint
WHEELS MISC OPTIONS	29007	29007	TIRE, SPARE Equal to Model Standard
MISC	504058	504058	AIR TANK VOLUME IDENTITY Nominal 6054 CuIn System Capacity
BRAKES	504061	504061	SPRING BRAKE MODULATOR VALVE with Relay function
BRAKES	504084	504084	SUPPLY LINE, AIR, ADDITIONAL 5/8" Line from Primary Air Tank to Rear of Section Relay Valve for Brake Timing Requirements
SPEEDOMETER, TOOLS, MISC	504104	504104	ENGINEERING ABS IDENTITY ABS-6
BRAKES	504201	504201	DRAIN VALVE (1) with Pull Chain and (2) Petcocks, for Air Tanks
BRAKES	504306	504306	SLACK ADJUSTERS, FRONT {Meritor} Automatic
BRAKES	504355	504355	SLACK ADJUSTERS, REAR {Meritor} Automatic
BRAKES	504360	504360	AIR TANK Steel, with Straight Thread O-Ring Ports
BRAKES	504432	504432	BRAKE LININGS, FRONT {Meritor R301} Non-Asbestos for S-Cam Brake
BRAKES	504435	504435	BRAKE LININGS, REAR {Meritor R301} S-Cam Type; Non-Asbestos
BRAKES	504441	504441	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
BRAKES	504442	504442	BRAKE IDENTITY, REAR {Meritor Q-Plus}
BRAKES	504465	504465	BRAKE CHAMBERS, POSITION Rear-Rear, Inverted; Brake Cam and Drum Rotation Do Not Change.
BRAKES	504470	504470	DUST SHIELDS, FRONT BRAKE for Air Brakes
BRAKES	504471	504471	DUST SHIELDS, REAR BRAKE for Air Brakes
BRAKES	504603	504603	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab
DRIVELINES	506001	506001	YOKE, TRANSMISSION OUTPUT
DRIVELINES	506004	506004	YOKE, TRANSFER CASE INPUT
DRIVELINES	506005	506005	YOKE, T.C. OUTPUT TO FRT AXLE
DRIVELINES	506006	506006	YOKE, T.C. OUTPUT TO REAR AXLE
DRIVELINES	506007	506007	YOKE, FORWARD REAR AXLE INPUT
DRIVELINES	506008	506008	YOKE, FWD-RR AXLE, REAR OUTPUT
DRIVELINES	506010	506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
DRIVELINES	506011	506011	YOKE, FRONT AXLE INPUT
DRIVELINES	506100	506100	DRIVELINE LABOR IDENTITY for Driveline Labor
ELECTRICAL SYSTEMS	508006	508006	BATTERY BOX Steel, with Plastic Cover, 2-4 Battery Capacity, Mounted Right Side Under Cab
ELECTRICAL SYSTEMS	508011	508011	SOLENOID, AIR ACCESSORY 7-Pak, Electronic Operated, Includes an ECU with J1939 Communications
MISC	508050	508050	ELECTRICAL SYSTEM MUX for Electronic Systems Controller (ESC PROG) only
SPEEDOMETER, TOOLS, MISC	0510AAB	0510AAB	LANGUAGE IDENTITY For English
SPEEDOMETER, TOOLS, MISC	510000	510000	BULK MATERIAL
MISC	510002	510002	SERVICE PARTS ASSEMBLIES
SPEEDOMETER, TOOLS, MISC	510910	510910	VEPS IDENTITY NGV Programming Requirements for International I6 Engines
SPEEDOMETER, TOOLS, MISC	510923	510923	ENGINEERING PROGRAM IDENTITY for Non-2007 EPA Emissions Standards
SPEEDOMETER, TOOLS, MISC	510926	510926	ENGINEERING PROGRAM IDENTITY 76 Way Connector in lieu of 48 Way
SPEEDOMETER, TOOLS, MISC	510936	510936	VEPS IDENTITY {Bendix} for EC-60 ABS
SPEEDOMETER, TOOLS, MISC	510993	510993	VEPS IDENTITY Electronic Diagnostics

REAR AXLES, SUSPENSIONS	0014WAL	0014WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions	
REAR AXLES, SUSPENSIONS	0014WBV	0014WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	
FUEL TANKS	0015LBC	0015LBC	FUEL/WATER SEPARATOR {Racor Model 21000} 12 VDC Electric Heater, Includes Pre-Heater, Sight Glass, Drain Indicator Light, 30 Micron Filter	
FUEL TANKS	0015SEM	0015SEM	FUEL TANK Top Draw, Steel, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab	
FUEL TANKS	0015WZG	0015WZG	FUEL Additional 5 U.S. Diesel Gallons, for Transport/Delivery	
CABS, COWLS, BODIES	0016CAB	0016CAB	CAB Conventional, Extended	
CABS, COWLS, BODIES	0016HBC	0016HBC	GAUGE CLUSTER Metric with Metric Electronic Speedometer	
CABS, COWLS, BODIES	0016HHE	0016HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	
CABS, COWLS, BODIES	0016JNT	0016JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	
CABS, COWLS, BODIES	0016SMN	0016SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	
CABS, COWLS, BODIES	0016SNA	0016SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.5" x 14", Integral Convex Both Sides, for 102" Load Width	
CABS, COWLS, BODIES	0016VZS	0016VZS	OMIT COMPONENTS Omit Rear Headliner and Coat Hook, Add Roof Fairing Extender Brackets	
CABS, COWLS, BODIES	0016WBY	0016WBY	ARM REST, RIGHT, DRIVER SEAT	
CABS, COWLS, BODIES	0016WJS	0016WJS	INSTRUMENT PANEL Center Section, Flat Panel	
CABS, COWLS, BODIES	0016WKB	0016WKB	AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster	
CABS, COWLS, BODIES	0016WKY	0016WKY	HVAC FRESH AIR FILTER	
CABS, COWLS, BODIES	0016WLE	0016WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	
CABS, COWLS, BODIES	0016WLS	0016WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	
CABS, COWLS, BODIES	0016WSK	0016WSK	CAB REAR SUSPENSION Air Bag Type	
CABS, COWLS, BODIES	0016WSX	0016WSX	CAB INTERIOR TRIM Deluxe; for Extended Cab	
CABS, COWLS, BODIES	0016ZAZ	0016ZAZ	ACCESS, CAB for Countries that Require Max Width of Less Than 2.5 Meters	
CABS, COWLS, BODIES		16000	16000	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
CABS, COWLS, BODIES		16615	16615	SEAT, REAR BENCH; Omit Item
WHEELS, SPARE	0026DTT	0026DTT	WHEEL, SPARE, DISC {Accuride 28828} 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc	
WHEELS, TIRES - FRONT	0027DTT	0027DTT	WHEELS, FRONT {Accuride 28828} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	
WHEELS, TIRES - REAR	0028DTT	0028DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	

SPEEDOMETER, TOOLS, MISC	0010NVA	0010NVA	US MILITARY IDENTITY {C-0207} General Troop Transport (GTT)
SPEEDOMETER, TOOLS, MISC	0010WBE	0010WBE	KEYS - ALL ALIKE, ID Z-001
SPEEDOMETER, TOOLS, MISC	10060	10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
SPEEDOMETER, TOOLS, MISC	10210	10210	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
SPEEDOMETER, TOOLS, MISC	10506	10506	TOOL KIT Rim Wrench and Handle Only
SPEEDOMETER, TOOLS, MISC	10661	10661	PAINT, NON-REFLECTING Non-Reflecting Paint
SPEEDOMETER, TOOLS, MISC	10761	10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
CLUTCH	0011LEX	0011LEX	CLUTCH {Eaton Fuller SAS 1402} Kwik-Adjust (Manual), 14" Dia Two-Plate, Stamped Angle Spring, Ceramic, 7+1 Low Rate Damper, 1.75"-10 Tooth Spline, Mechanical Pull Type Control, 2-Piece Retainer, 860 lb-ft Torque Capacity
ENGINE	0012NMX	0012NMX	ENGINE, DIESEL {International DT530 Standard Torque} EPA 1998, Electro-Hydraulic Fuel System, 275HP @ 2000/2200 RPM, 800 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 285 Peak HP (Max), Includes #2 Bell Housing
ENGINE	0012THL	0012THL	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control, Use with International I6 Engine
ENGINE	0012UWY	0012UWY	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 Sqn, with 1167 Sqn Charge Air Cooler
ENGINE	0012UXC	0012UXC	EMISSION, CALENDAR YEAR for 2002; for International VT365, T444E, DT466 and DT530 Engines
ENGINE	0012VBG	0012VBG	AIR CLEANER Dual Element, with Integral Pre-Cleaner
ENGINE	0012VXT	0012VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
ENGINE	12703	12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
ENGINE	12938	12938	COLD STARTING EQUIPMENT Ether; with Electric Cab Control
TRANSMISSION	0013GMJ	0013GMJ	TRANSMISSION, MANUAL {Fuller FSO-8406A} 6-Speed Manual, Aluminum Clutch Housing, Overdrive, Fully Synchronized, Short Shift Stroke
TRANSMISSION	0013TKB	0013TKB	TRANSFER CASE {Meritor MTC-4213} 2-Speed, 13,000 lb-ft Torque Rating, Less PTO Provision, Electric Over Air Control, with Lube Pump
TRANSMISSION	0013WDB	0013WDB	TRANSFER CASE LUBE {EmGard 50W} Synthetic; 1 thru 14.99 Pints
TRANSMISSION	0013WDV	0013WDV	OIL COOLER, TRANSFER CASE Remote Mounted Back of Cab
TRANSMISSION	0013WLW	0013WLW	TRANSMISSION OIL {EmGard 40W} Synthetic; 1 thru 21.99 Pints
TRANSMISSION	13720	13720	WINCH {Warn Series 18 DC} Electric, Front Mounted with Cable and Hook
REAR AXLES, SUSPENSIONS	0014GVP	0014GVP	AXLE, REAR, TANDEM {Meritor MT-40-14X-5DCR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends
REAR AXLES, SUSPENSIONS	0014ULX	0014ULX	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings

ELECTRICAL SYSTEMS	0008MMB	0008MMB	BATTERY SYSTEM {Exide} Maintenance-Free, (4) 24-Volt 1300CCA Total, with Battery Equalizer and Disconnect Switch, Top Threaded Stud	
ELECTRICAL SYSTEMS	0008RHL	0008RHL	2-WAY RADIO Wiring Effects; for 24 Volt Radio Wiring with 20 Amp Fuse Protection, Includes 12V Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	
ELECTRICAL SYSTEMS	0008SAN	0008SAN	JUMP START STUD WIRING for 24 volt NATO	
ELECTRICAL SYSTEMS	0008THB	0008THB	BACK-UP ALARM Electric, 102 dBA	
ELECTRICAL SYSTEMS	0008TKD	0008TKD	STOP, TURN, TAIL & B/U LIGHTS Omit Item, Does Not Omit Cable to End of Frame, DOES NOT INCLUDE LICENSE PLATE LIGHT	
ELECTRICAL SYSTEMS	0008TSA	0008TSA	TRAILER CONNECTION SOCKET (2): One 12-Way, 24 Volt, Mounted at Rear of Frame, One 7-Way, 12 Volt, Mounted at Front of Frame for Combined Trailer, Stop, Tail Turn & Marker Light Circuits	
ELECTRICAL SYSTEMS	0008VAY	0008VAY	HORN, ELECTRIC Disc Style	
ELECTRICAL SYSTEMS	0008WCL	0008WCL	HORN, AIR Single Trumpet, Black, Air Solenoid Operated	
ELECTRICAL SYSTEMS	0008WHZ	0008WHZ	FUSE PANEL {Packard MP 800} Maxi Fuse; Mounted in Power Distribution Center Under Hood	
ELECTRICAL SYSTEMS	0008WMA	0008WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	
ELECTRICAL SYSTEMS	0008WML	0008WML	HEADLIGHTS Long Life Halogen	
ELECTRICAL SYSTEMS	0008WPH	0008WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	
ELECTRICAL SYSTEMS	0008WVC	0008WVC	ACCESSORY WIRING, SPECIAL Pre-Wire Only, for 24 Volt Winch, for Use on 24 Volt System, with Tie in at Starter	
ELECTRICAL SYSTEMS	0008WXD	0008WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened	
ELECTRICAL SYSTEMS	0008WXJ	0008WXJ	STARTING MOTOR {Leece-Neville M0017072ME} 24 Volt, Less Thermal Over-Crank Protection	
ELECTRICAL SYSTEMS	0008WYW	0008WYW	BATTERY BOX MODIFICATION Reinforcement to Battery Box for Military Use	
ELECTRICAL SYSTEMS	0008XAH	0008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	
ELECTRICAL SYSTEMS	0008XGK	0008XGK	BATTERY DISCONNECT SWITCH {GIGAVAC} for Military Application, IP67	
ELECTRICAL SYSTEMS	0008XJE	0008XJE	TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	
ELECTRICAL SYSTEMS		8000	8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
ELECTRICAL SYSTEMS		8518	8518	CIGAR LIGHTER Includes Ash Cup
ELECTRICAL SYSTEMS		8630	8630	IGNITION SWITCH Keyless
FRONT END	0009HAW	0009HAW	GRILLE Stationary, Painted Grille & Headlight Bezels 1A87 Beige Low Gloss	
FRONT END	0009WAC	0009WAC	BUG SCREEN Mounted Behind Grille	
FRONT END	0009WBC	0009WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	
FRONT END		9593	9593	FENDER EXTENSIONS Omit
SPEEDOMETER, TOOLS, MISC	0010KAG	0010KAG	DPAS PRIORITY DO-A4 Medium Priority	
SPEEDOMETER, TOOLS, MISC	0010KDY	0010KDY	CPSR IDENTIFIER W56HZV-15-C-0207	
SPEEDOMETER, TOOLS, MISC	0010NSU	0010NSU	CUSTOMER IDENTITY for TACOM	

MISC	595061	595061	ESC PROG, VOLTMETER
MISC	595063	595063	ESC PROG, SEAT BELT WARNING LT
MISC	595066	595066	T/R DATA, ENG OIL PRESS GAUGE
MISC	595067	595067	T/R DATA, ENG COOLANT TEMP GA
MISC	595069	595069	T/R DATA, VEHICLE SPEED GAUGE (Speedometer)
MISC	595079	595079	T/R DATA, WARNING LIGHTS
MISC	595080	595080	ESC PROG, AIR SOLENOID POWER
MISC	595083	595083	ESC PROG, CRUISE CONT SWITCH State
MISC	595084	595084	ESC PROG, ENGINE FAN REQUEST
MISC	595085	595085	ESC PROG, GAUGE CLUSTER ALARM Handler
MISC	595095	595095	ESC PROG, ENGINE STATE
MISC	595102	595102	ESC PROG, CRUISE/RESCM OUT/HDL
MISC	595103	595103	ESC PROG, HARDWIRE CONFIG DATA
MISC	595104	595104	ESC PROG, NETWORK CONFIG DATA
MISC	595105	595105	ESC PROG, IP CONFIG DATA
MISC	595106	595106	ESC PROG, DAYTIME RUN/LIGHT Omit
MISC	595112	595112	T/R DATA, NO PRNDL
MISC	595130	595130	T/R DATA, ENGINE TYPE {International}
MISC	595143	595143	T/R DATA, METRIC GAUGES
MISC	595158	595158	ESC PROG, XFER CASE for 4x4 or 6x6, with Automatic or Manual Transmission
MISC	595162	595162	ESC PROG, OMIT STOP/TURN Diagnostics
MISC	595168	595168	ESC PROG, WORK LHT DIAGNOSTICS Omit
MISC	595208	595208	T/R DATA, ENGINE SPEED GAUGE Tachometer 4000 RPM
MISC	595233	595233	ESC PROG, WATER IN FUEL LIGHT with ESC #2
MISC	595234	595234	ESC PROG, BATT FEED FUSE DET with ESC #2
MISC	595250	595250	ESC PROG, WORK LIGHT Includes Keyless Entry and Timer Function Effects, (2) Default Switch Located in Wing Panel
MISC	595251	595251	ESC PROG, PARKING/MARKER Tail Clear Lights, with or without Marker Interrupt Switch, Includes 15 amp Fuse
MISC	595253	595253	ESC PROG, WINDSHIELD WIPER Includes Hi, Lo and Intermittent Speeds Plus Washer Effects, with ESC2
MISC	595328	595328	ESC PROG, ALARM, PARK BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened
MISC	595336	595336	ESC PROG, REFRIGERANT CONTROL HVAC, with Check A/C Warning Light in Cluster
MISC	595356	595356	ESC PROG, ELECTRICAL SYS CONTR ESC2, for Truck with Die-Shrunk microcontroller

Class Description	Parts Catalog Component	Component Line Drawing	Description
FRAMES	0001CAJ	0001CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL
FRAMES	0001LAM	0001LAM	SPECIAL FRAME PIERCING for General Troop Transport/Tanker with CB-17 Body Burtek
FRAMES	0001MBC	0001MBC	BUMPER, FRONT Swept Back 30-Degrees, Steel, Painted Flat Black, Heavy Duty
FRAMES	0001UAU	0001UAU	TOW LOOP, FRONT with Four Lifting Eyes
FRAMES	0001UAW	0001UAW	CROSSMEMBER, REAR Special for HD Military Vehicles, with Recovery Loops, Pintle Hook and Gladhands
FRAMES	0001WDS	0001WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille
FRAMES	0001WGK	0001WGK	WHEELBASE RANGE 195" (495cm) Through and Including 217" (550cm)
FRAMES	0001WRA	0001WRA	TOW HOOK, FRONT (2) Outside Rail, Frame Mounted.
FRAMES	0001WRE	0001WRE	PINTLE HOOK {Holland PH-760M-A-6} Rear, Swivel Type
FRAMES	0001WRN	0001WRN	BRACKET, CAB MOUNT Heavy Duty
FRAMES	0001WRR	0001WRR	FRAME, SPECIAL EFFECTS for Turret Sub Frame External
FRONT AXLES	0002ESA	0002ESA	AXLE, FRONT DRIVING {Meritor MX-14-120} Single Reduction, 14,000-lb Capacity, with Hub Piloted Wheel Mounting
FRONT SUSPENSIONS	0003AHT	0003AHT	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers, Ride Package
BRAKES	0004AZA	0004AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
BRAKES	0004EBS	0004EBS	AIR DRYER {Bendix AD-9} with Heater
BRAKES	0004ETD	0004ETD	BRAKE CHAMBERS, FRONT AXLE {MGM} 20 SqIn
BRAKES	0004EVJ	0004EVJ	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3HD} 30/30 SqIn Spring Brake
BRAKES	0004JCJ	0004JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
BRAKES	0004NDB	0004NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
BRAKES	0004SBC	0004SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
BRAKES	0004VEM	0004VEM	AIR DRYER LOCATION Mounted Outside Left Rail Under Cab, for Extended Cab
BRAKES	4091	4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
BRAKES	4524	4524	AUXILIARY GLAD HAND CONNECTOR on Front of Frame
BRAKES	4619	4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
BRAKES	4732	4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank
STEERING	0005CAL	0005CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
STEERING	0005PSL	0005PSL	STEERING GEAR {Sheppard M110} Power
STEERING	5708	5708	STEERING COLUMN Tilting
EXHAUST SYSTEMS	0007ABT	0007ABT	EXHAUST SYSTEM Single, Horizontal Muffler and Short Tail Pipe, Aluminized Steel; Frame Mounted Under Cab Left Side, Provides Clean CA Below the Rails
EXHAUST SYSTEMS	0007SBN	0007SBN	ENGINE EXHAUST BRAKE {PacBrake} for International I-6 Engine
ELECTRICAL SYSTEMS	0008GGD	0008GGD	ALTERNATOR {Leece-Neville L-N 4740JB} Brush Type, 24 Volt, 200 Amp Capacity